



**BARCODE ELECTRONIC "OFF-LINE"
EXIT PASS VERIFIER (IN AND OUT
PRIVILEGE).**

Model EXP-1010



FEATURES:

*Replaces obsolete token acceptor unit.
Stand-alone, off line verification of the bar
code pass cards for entry and exit to the
facility.*

*Back lighted LCD for monitoring and
programming time, date and expiration
period.*

Low voltage operation.

*Equipped with dry contact vend relay for
opening of the gate/ door.*

Easy to program.

Easy front access ticket validating.

LED lighted front and feed slot.

Insertion type operation.



SysParc
16125 Cantlay Street
Van Nuys Ca 91406

Phone: 818 - 902 - 1606
Fax: 818 - 902 - 1621
Website: www.sysparc.com



- I. Purpose:
EXP-1010 provides a powerful, economical and simple solution for access control for any “in and out privilege” or one time usage exit pass. The **SysParc** Model EXP-1010 off line or on line Exit Pass verifier is also part of the revenue control devices that reads and decoded a bar code pass card. Based on the information decoded in the pass card the unit can grant access to a facility based on the time and date and also number of usage. The EXP1010 can will easily interface and read the bar code pass cards printed by our PS-2020 (Automatic Pay Station).

This unit is programmable, allowing the end user to set: time, date and the number of usage for any bar code type pass card presented to it. EXP1010 can also read the bar code issued by: Merchant Validation printer, or pre-printed pass cards issued for the in and out privilege.

- II. Features & Functions:
 - A. The **SysParc** Model EXP-2010 Bar code Merchant Validation Printer is designed to read a machine-readable validation code printed on the patron’s entry ticket or the pass card. .
 - B. The **SysParc** EXP-1010 is activated by insertion of the patron’s thermal stock entry ticket into the face reader.
 - C. The exit pass verifier grants one access or exit pass each time it reads a valid pass card.
- III. Physical Description:
 - A. The merchant Validation Printer’s overall dimensions are 5.0" wide, by 3.2" deep, by 7.5" in height. It weighs 3 pounds.
 - B. The electrical power requirement for the Merchant Validator 24VDC. Power supply adaptor is provided with the unit.
 - C. The EXP-1010 contains a microprocessor-controlled mechanism that includes a date/time clock calendar. This microprocessor is programmed with its operating parameters.
 - D. The EXP-1010 is constructed of heavy-duty aluminum housing. The standard color is charcoal gray.

